

SLIDING WINDOW

**SIZE TABLES**  
2-11/16" Frame  
East and West Regions



XO/OX Units:

	(610) (597)	(914) (902)	(1 219) (1 207)	(1 524) (1 511)	(1 829) (1 816)
Opening	2' 0"	3' 0"	4' 0"	5' 0"	6' 0"
Frame	23 1/2"	35 1/2"	47 1/2"	59 1/2"	71 1/2"
(610) (597)	2'-0"	3'-0"	4'-0"	5'-0"	6'-0"
(762) (749)	2'-6"	3'-0"	4'-0"	5'-0"	6'-0"
(914) (902)	3'-0"	3'-0"	4'-0"	5'-0"	6'-0"
(1 067) (1 054)	3'-6"	3'-6"	4'-0"	5'-0"	6'-0"
(1 219) (1 207)	4'-0"	4'-0"	4'-0"	5'-0"	6'-0"
(1 372) (1 359)	4'-6"	4'-6"	4'-6"	5'-0"	6'-0"
(1 524) (1 511)	5'-0"	5'-0"	5'-0"	5'-0"	6'-0"
	23 1/2"	35 1/2"	47 1/2"	59 1/2"	71 1/2"
	2'-0/2-0	3'-0/2-0	4'-0/2-0	5'-0/2-0	6'-0/2-0
	2'-0/2-6	3'-0/2-6	4'-0/2-6	5'-0/2-6	6'-0/2-6
	2'-0/3-0	3'-0/3-0	4'-0/3-0	5'-0/3-0	6'-0/3-0
		3'-0/3-6	4'-0/3-6	5'-0/3-6	6'-0/3-6
		3'-0/4-0	4'-0/4-0	5'-0/4-0	6'-0/4-0
		3'-0/4-6	4'-0/4-6	5'-0/4-6	6'-0/4-6
		3'-0/5-0	4'-0/5-0	5'-0/5-0	6'-0/5-0

bedrooms 3 & 4


master bedroom  
bedroom 2

**Egress Notes:**  
Check all applicable local codes for emergency egress requirements.  
E = Window meets minimum clear opening of 24" height, 20" width, and 5.7 ft<sup>2</sup>.  
E1 = Window meets minimum clear opening of 24" height, 20" width, and 5.0 ft<sup>2</sup>.  
See Design Data pages in this section for clear opening dimensions.

Not to scale.  
(1) XO units shown also available as OX



East and West Regions



**MINIMUM SIZED RESCUE OR ESCAPE WINDOWS FROM SLEEPING ROOMS**  
**Section 1204**